

JOB _____ ITEM # _____ QTY # _____

MODEL NUMBER:

- R1-ST R3-ST R5-ST
- R2-ST R4-ST R6-ST

DIMENSIONS:

- R1-ST - 36"H x 30"D X 28"L
- R2-ST - 36"H x 30"D X 36"L
- R3-ST - 36"H x 30"D X 50"L
- R4-ST - 36"H x 30"D X 60"L
- R5-ST - 36"H x 30"D X 74"L
- R6-ST - 36"H x 30"D X 96"L

STANDARD COLORS

- Wine Red (RAL 3005)
- Signal Red (RAL 3001)
- Yellow (RAL 1021)
- Light Blue (RAL 5012)
- Gentiane Blue (RAL 5010)
- Water Blue (RAL 5021)
- Moss Green (RAL 6005)
- Squirrel Gray (RAL 7000)
- Black
- White
- Custom colors available
- Optional Graphics Packages available

COMMON OPTIONS

- Tray slides
- Protector guards
- Under storage, hinged doors
- See reverse side for additional options

WARRANTY

- One year parts and labor. Warranty is detailed on inside front cover of the price list.



R5-ST shown with optional ROU




The Reflections Solid Top units are ideal for use as worktops, for plating and for sandwich and salad preparation. This unit can also be used as a counter for other serving and merchandising needs.

The design allows it to be used in a cafeteria or buffet line-up, choosing the options and accessories that you need. All Reflections units are compatible and will interlock with other Reflections units.

STANDARD FEATURES

- Seamless, molded FRP body with smooth exterior and rounded corners
- 14-gauge stainless steel top with fully welded square turndowns on all sides
- Enclosed base
- Underbracing for heavier loads
- 4" diameter swivel plate casters with brakes
- Interlocking mechanism is provided to interlock with other Reflections units

SPEC B-7



Model #	# of Wells	(A)	(B)	W	H	Ship Wt. (lbs)
R1-ST	28"	28"	30"	36"	124	
R2-ST	36"	36"	30"	36"	165	
R3-ST	50"	50"	30"	36"	184	
R4-ST	60"	60"	30"	36"	215	
R5-ST	74"	74"	30"	36"	244	
R6-ST	96"	96"	30"	36"	284	

DIMENSION ADDITIONS FOR OPTIONS

- Add 14" to height for cafeteria protector guard
- Add 22-3/4" to height for 2-tier display stand
- Add 32-1/4" to height for 3-tier display stand
- Add 8" to width cutting board
- Add 12-3/4" to width for solid ribbed tray slide
- Add 12-1/2" to width for 3-bar tray slide

Note: Line-up drawing required when ordering interconnected units.

Petite Reflections is 30" high - under counter storage is shortened and does not have intermediate shelf

Part #	Description	Part #	Description
<input type="checkbox"/> R3BTS	3-bar tray slide	<input type="checkbox"/> RCEG	Cafeteria end guards (pr)
<input type="checkbox"/> RBDD	Two tier buffet protector guard	<input type="checkbox"/> RCPG	Cafeteria style protector guard
<input type="checkbox"/> RBDDL	Two tier buffet protector guard with fluorescent lights	<input type="checkbox"/> RCPGC	Classic tubular glass cafeteria guard
<input type="checkbox"/> RBEG	Buffet end guards (pr)	<input type="checkbox"/> RCPGFL	Cafeteria style protector guard with fluorescent lights
<input type="checkbox"/> RBHL	Heat lamps, bullet-type (buffet only)	<input type="checkbox"/> RCPGH	Cafeteria style protector guard with heat strips
<input type="checkbox"/> RBKR	Common circuit breaker for well heaters only	<input type="checkbox"/> RCPGHL	Cafeteria style protector guard with heat and light strips
<input type="checkbox"/> RBL	Stainless steel 6" adjustable bullet feet	<input type="checkbox"/> RCPGL	Cafeteria style protector guard with incandescent lights
<input type="checkbox"/> RBPG	Buffet style protector guard	<input type="checkbox"/> RDOUT	Duplex Outlet (120V, 15 AMP)
<input type="checkbox"/> RBPG1	Single sided buffet style protector guard	<input type="checkbox"/> RDRN	Drain and manifold with shut-off valve
<input type="checkbox"/> RBPG1C	Classic single sided tubular glass buffet guard	<input type="checkbox"/> RHD	Under storage hinged doors
<input type="checkbox"/> RBPG1FL	Single sided buffet style protector guard with fluorescent lights	<input type="checkbox"/> RHU	Heated storage base with doors and pan slides (convertible racks hold 10-2" deep 12" x 20" pans or 10 - 18" x 26" bun pans)

SPEC B-7

<input type="checkbox"/>	RBPG1IL	Single sided buffet style protector guard with incandescent lights	<input type="checkbox"/>	RMCB	8" maple cutting board
<input type="checkbox"/>	RBPGC	Classic tubular glass buffet guard	<input type="checkbox"/>	RMRCE	Extended compressor warranty
<input type="checkbox"/>	RBPGFL	Buffet style protector guard with fluorescent lights	<input type="checkbox"/>	ROHS	Overhead shelf
<input type="checkbox"/>	RBPGH	Buffet style protector guard with heat strips	<input type="checkbox"/>	ROU	Open under storage with shelf
<input type="checkbox"/>	RBPGIL	Buffet style protector guard with incandescent lights	<input type="checkbox"/>	RSCB	8" stainless steel cutting board
<input type="checkbox"/>	RCDD	Two tier cafeteria protector guard	<input type="checkbox"/>	RSES	End shelf - drop type
<input type="checkbox"/>	RCDDC	Classic two tier tubular glass cafeteria guard	<input type="checkbox"/>	RSFTS	Solid flat tray slide, 16-gauge stainless steel
<input type="checkbox"/>	RCDDL	Two tier cafeteria protector guard with fluorescent lights	<input type="checkbox"/>	RSRTS	Solid 3-ribbed tray slide, 16-gauge stainless steel

SPEC B-7

PIPER

The Food-Focused Equipment Company

300 S. 84th Avenue | Wausau, WI 54401
 Phone: 800-544-3057 | Fax: 715-842-3125
www.piperonline.net

LIMITED WARRANTY: PIPER PRODUCTS warrants to the original purchaser parts and labor for a period of twelve (12) months from the date of purchase. See manufacturer's complete warranty for details.

It is our policy to build equipment which is design certified by companies that have been accredited at the Federal Level by the Occupational Safety and Health Agency (OSHA) and ANSI as a National Recognized Testing Laboratory. These companies include CSA International, Underwriters Laboratories, and the National Sanitation Foundation. However, a continuing program of product improvement makes it necessary to submit new models to the agencies as they are developed. Consequently, all models may not bear the appropriate labels at all times. We reserve the right to change specifications and product design without notice. Such revisions do not entitle buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. Information is not for design purposes.