



RO-6

The Lazy Susan design reduces loading and unloading time while revolving racks provide excellent merchandising. No heavy spits or baskets, product cooks right on motorized Lazy Susan! The Chef Systems rotisserie series is flexible for roasting chickens to BBQ spare ribs.

STANDARD FEATURES

- Exclusive Air Cleaner - helps eliminate smoke, grease laden air, & odors
- Heavily insulated
- Full-view lighting, heat reflective, tempered glass doors, front and back for product merchandising
- 5 Hour cook & hold timer and reminder timer
- Smoker Option - The smoker box heats pieces of hickory or mesquite, wet or dry.
- Stainless steel finish - interior and exterior
- Motorized Lazy Susan design

JOB _____ ITEM # _____ QTY # _____

MODEL NUMBER:

□ RO-6

DIMENSIONS:

- 78"H x 35"W X 34"D

INTERIOR DIMENSIONS:

- 35"W x 34"D x 78"H

CAPACITY

- 6 Lazy Susan wire racks
- 36 chickens,
- Eighteen, 10-lb. hams,
- 60 lb. spare ribs
- Eighteen, 10 lb. turkeys,
- 150 lb. roasts
- Maximum oven temp. 450°

CONSTRUCTION


The oven corner posts shall be 18 gauge stainless steel with a 20 gauge stainless steel wrapper for top, sides and back panels. The interior oven cavity shall be constructed of 20 gauge stainless steel with formed, pitched bottom to center drain. Oven shall accommodate 3 chrome plated wire racks for motorized Lazy Susan. Wire racks shall be adjustable and removable. Oven shall have drawer for grease catching and disposal.

The oven shall work with a patented "Heat Sink" principle and "Natural Convection" technology. When the materials in the oven are heated to the proper temperature the oven shall bake with radiant heat and conduction. The oven shall also have heat release vents that draws air through the oven cavity and over product.

The oven shall be thermostatically controlled, with reminder timer and 5-hour cook & hold timer. The oven shall have a heat reflective, tempered glass doors.

EXCLUSIVE AIR CLEANER

The rotisserie oven must cook clean utilizing the exclusive catalytic burner operating up to 1000°



Exterior Dimensions: 78"H x 35"W x 34"D
Interior Dimensions: 46-1/2"H x 26-1/2"W x 38-1/2"D

SHIPPING INFORMATION

- Shipping Weight: 450 lbs.
- Freight Class: 100

COMMON
OPTIONS

☐ Smoker

Electrical

Phase Availability	1, 3
NumberOfWires	3 for 208V and 4 for 240V
Hz	60
Watts 208 Volts	9493.5
Amps 208 Volts	50
Watts 3 Phase 208 Volts	9493.5
Amps 3 Phase 208 Volts	32
Watts 240 Volts	9493.5
Amps 240 Volts	44
Watts 3 Phase 240 Volts	9493.5
Amps 3 Phase 240 Volts	29

SHIPPING INFORMATION

- Shipping Weight: 450 Lbs
- Shipping Cubic Feet:
- Freight Class: 100

SPEC N-3