

2 Half Pan Oven

Natural Convection Oven



DO-2H-CT

This may be our smallest deck oven, but it boasts the same precision Natural Convection technology as our largest units. It also serves as an effective merchandiser - lure them in with the sights and smells of quality baked goods produced in the DO-2H-CT!

STANDARD FEATURES

- Natural convection & radiant heat design does not dry out product
 Each deck individually thermostaticly controlled provides more control over your baking environment
- No moving parts in oven reduces maintenance problems and increases reliability
 Bake pizzas right on deck
- Stainless steel construction easily cleaned and maintained
 Positive magnetic door closure
 60 Minute reminder timer

- Full-view, heat-reflective tempered glass door allows for energy-efficient sight baking
 Field reversible doors, left or right hinged
 Each deck brightly lighted provides sight merchandising
 Maximum Oven Temp 450°

___ QTY #__ _____ ITEM #_____

MODEL NUMBER:

□ DO-2H-CT

DIMENSIONS:

• DO-2H-CT - 31.25"H x 26.5"W X 28"D

INTERIOR DIMENSIONS:

• 5.75" between racks

CONSTRUCTION

The oven corner posts shall be 18 gauge stainless steel type 304 with a 20 gauge stainless steel wrapper for top, sides and back panels. The interior oven cavity shall be constructed of heat retentive 18 gauge aluminized steel with chrome plated wire racks on .190 aluminum decks. The oven shall work with a patented "Heat Sink" principle and "Natural Convection" technology.

When the materials in the oven are heated to the proper temperature the oven shall bake with radiant heat and conduction. The oven shall also have heat release vents that draws air through the oven cavity and over decks. The oven shall have no moving parts. Each deck shall be individually, thermostatically controlled. The oven shall have a heat reflective tempered glass door.

WARRANTY


One year parts and labor. Warranty is detailed on inside front cover of the price list.




P | OVENS

2 Half Pan Oven

Natural Convection Oven





ELECTRICAL*

VOLTS	PHASE	WIRE**	AMPS	WATTS	HERTZ
120	1	2	24	2850	60
120/208	1	3	16	2850	60
120/240	1	3	16	2850	60

^{*}Installation should be made by licensed electrician. Check local codes for vent hood requirements.

Please specify door hinge left or right. - hinged left is standard.

CAPACITY

Each deck will hold; 1, 13" x 18" Pan (2 Pans total), 1, 3-strapped 1lb Bread Pan (for 6 Loaves total), 1, 3-strapped 1.5lb Bread Pan (for 6 Loaves total), 4, 9" Pies (for 8 Pies total), 1, 18" Pizza (for 2 Pizzas total)

SHIPPING INFORMATION

- Shippping Weight: 200 LbsShipping Cubic Feet: 55.44Freight Class: 85



^{**} Number of wires does not include ground.