

JOB _____ ITEM # _____ QTY # _____

MODEL NUMBER:

☐ Anliker XL

DIMENSIONS:

- 25.79"H x 23.23"W X D

Unit Comparisons

	GSM 4	GSM 5 Star	XL, XL Star, & MultiCut-240
HP	1/2	1/2	1
RPMs	340	340	280
Upper Housing	Cast Aluminum	Stainless Steel	Cast Aluminum
Blades Available	47	52	42,44,42
Antimicrobial Protection Pusher		X	X
Antimicrobial Protection Blades	X	X	

Design

- Ergonomic 45° incline for convenient feeding, cutting and ejection of food. Separate food hopper permits continuous cutting of long products. The food pusher enables even pressure to be applied when cutting food. The hopper head, food pusher and cutting discs are easily removable, without the use of tools, for quick cleaning.

Construction

- The sealed upper housing, removable hinged hopper head and food hoppers are made of polished cast aluminum. The body and base are constructed of #304 stainless steel.

Gear Drive

- Sealed spur gear transmission with permanent grease lubrication. Output 280 RPMs.

Cutting Discs

- There are 40 cutting discs available. The discs are rigid foodgrade cast aluminum. The knives are hardened, ground, leathered and hand-polished to a razor sharp edge for precision cutting and long life.

Warranty

Two years parts and labor.

SHIPPING INFORMATION

- Shipping Weight: 81.13
- Shipping Cubic Feet:
- Freight Class: 100



ANTIMICROBIAL PROTECTION

The kidney shaped food pusher is a glass fiber reinforced material with antimicrobial protection built in, which inhibits the growth of bacteria and provides superior sanitation.

Standard Features

- Kidney shaped material pusher is made from antimicrobial glass fiber compound
- Powerful 1 HP gear-driven motor
- Optimum plate speed of 280 RPMs
- Thermal overload protection
- Polished foodgrade cast aluminum hopper head and sealed upper housing
- Stainless steel body and base
- Built in antimicrobial protection
- Double safety interlock - hopper head/food pusher
- Ergonomic 45° food hopper incline
- Removable hopper head and food pusher (no tools required)
- Discs are rigid cast foodgrade aluminum
- Stainless steel knives are hardened, ground, leathered and hand-polished
- 40 different cutting discs are available

Capacity

- Processes up to 900 lbs. per hour. Ideal for up to 1,000 - 1,500 meals.

Motor

- 1 HP, 115V/60HZ/1 Phase, 14.5 amps, automatic reset thermal overload protection.

On/Off Latch (Interlocks)

- The hopper latch serves as the on/off switch and interlock for the hopper head. The unit will not operate with the hopper head open or unlatched.

SPEC T-3

Cutting Discs

Model	Description	inches	mm
0-7	Shredding Plate 23/64"(9mm)	23/64	9
00-7	Shredding Plate 7/16"(11mm)	3/16	5
1-7	Shredding Plate 9/32"(7mm)	9/32	7
11-7	Shredding Disc 5/64"(2mm)	5/64	2
14-7	Grating Disc, Fine Powder	Fine cut	
23-7	Specialty Shredding Disc 3/32"	3/32	2.5
3-7	Shredding Plate 3/16"(5mm)	3/16	5
4-7	Shredding Plate 5/32"(4mm)	5/32	4
7-7	Shredding Plate 1/8"(3mm)	1/8	3
9-7	Shredding Plate 3/32"(2.5mm)	3/32	2.5
BT10-7	French Fry Disc 3/8	3/8	10
BT6-7	French Fry Disc 15/64	15/64	6
BT7-7	French Fry Disc 9/32	9/32	7
BT8-7	French Fry Disc 5/16	5/16	8
F1-7	Slicing Disc 1/32" (1mm)	1/32	1
F2-7	Slicing Disc 5/64" (2mm)	5/64	2
G10-7	Slicing Disc 3/8" (10mm)	3/8	10
G12-7	Slicing Disc 15/32" (12mm)	15/32	12
G16-7	Slicing Disc 5/8" (16mm)	5/8"	16
G3-7	Slicing Disc 1/8" (3mm)	1/8	3
G4-7	Slicing Disc 5/32" (4mm)	5/32	4
G6-7	Slicing Disc 15/64" (6mm)	15/64	6



F1



HS



0



23



S2



PA4



BT7



PG4



W10



BT7



SCV-7/3

WR-3

Cutting Discs

Model	Description	inches	mm
G8-7	Slicing Disc 5/16" (8mm)	5/16	8
HS-7	Shaving Disc 1/64" (.5mm)	1/64	.5
PA4K-7	Julienne Disc 5/32" (4mm)	5/32	4
PH-9	Grating Plate Holder		
S1.5-7	Julienne Disc 1/16" (1.5mm)	1/16	1.5
S2-7	Julienne Disc 5/64" (2mm) FOR	5/64	2
S3-7	Julienne Disc 5/64" (2mm)	1/8	3
SU5-7	Slicing Disc 3/16" (5mm)	3/16	5
SU7-7	Slicing Disc 9/32" (7mm) Wavy Cut	9/32	7
TO-7	Slicing Disc 3/16" (5mm)	3/16	5
W10-7	Dicing Disc 3/8"	9/16	10
W14-7	Dicing Disc 9/16"	9/16	14
W6-7	Dicing Disc 1/4"	1/4	6
W8-7	Dicing Disc 5/16"	5/16	8
WK10G-7	Dicing Disc Insert 3/8"	3/8 x 3/8 x 3/8	10 x 10 x 10
WK14G-7	Dicing Disc Insert 9/16"	9/16 x 9/16 x 3/8	14 x 14 x 10
WK20G-7	Dicing Disc Insert 29/32"	3/4 x 3/4 x 3/8	20 x 20 x 10
WK8G-7	Dicing Disc Insert 5/16"	5/16 x 5/16 x 3/8	8 x 8 x 10
WKB-7	Cubing Grid Body Only, required to use WK grids, for GSM XL - only works with the WK grids & WKK-7 knife		
WKK-7	Cubing Knife Only, required to use WK grids, for GSM XL - only works with the WK grids & WKK-7 knife		

Accessories

SPEC T-3

Model	Description
SCV-7/3	Vertical disc storage rack (3 discs)
WR3	Three peg wall rack storage

SPEC T-3